

Prepared by/Return To:
Joe Morera, an employee of
Talon Title Services, LLC
12964 N. Dale Mabry Hwy
Tampa, Florida 33618
Deed doc stamps \$10,850.00

File No.: 3826-278437

CORPORATE WARRANTY DEED

This indenture made on **June 11, 2020** A.D., by

OW Proline, LLC, a Florida limited liability company

whose address is: **340 McEachin Landing Rd, Hazelhurst, GA 31539**
hereinafter called the "grantor", to

KRZ Holdings, LLC, a Florida limited liability company

whose address is: **5384 Slater Road, Spring Hill, FL 34608**
hereinafter called the "grantee":

(Which terms "Grantor" and "Grantee" shall include singular or plural, corporation or individual, and either sex, and shall include heirs, legal representatives, successors and assigns of the same)

Witnesseth, that the grantor, for and in consideration of the sum of Ten Dollars, (\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, aliens, remises, releases, conveys and confirms unto the grantee, all that certain land situate in **Citrus** County, **Florida**, to-wit:

See **EXHIBIT "A"** attached hereto and made a party hereof

Parcel Identification Number: **3457295**

Subject to all reservations, covenants, conditions, restrictions and easements of record and to all applicable zoning ordinances and/or restrictions imposed by governmental authorities, if any.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances except taxes accruing subsequent to December 31st of 2019.

In Witness Whereof, the said Grantor has caused this instrument to be executed in its name by its duly authorized officer and caused its corporate seal to be affixed the day and year first above written.

OW Proline, LLC, a Florida limited liability company

By: *Olin Wooten, manager*
Name: Olin Wooten
Title: Manager

(Corporate Seal)

Signed, sealed and delivered in our presence:

Carlos Marquez
Witness Signature

Print Name: Carlos Marquez

Paul Bridges
Witness Signature

Print Name: PAUL BRIDGES

State of **Georgia**

County of Jeff Davis

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED before me by means of physical presence or online notarization, on **June 12, 2020**, by **Olin Wooten, as Manager, on behalf of OW Proline, LLC, a Florida limited liability company**, existing under the laws of the State of **Florida**, who is personally known to me or who has produced a valid driver's license as identification.

Karen Rentz
Notary Public

Karen Rentz
(Printed Name)

My Commission expires: 4/2/2021




EXHIBIT "A"
LEGAL DESCRIPTION OF PROPERTY

Being a portion of Lots 11, 12, 13, 14 and 15 of Block A; a portion of those certain unnumbered Lots lying to the West of said Lots between the abandoned A.C.L. Railroad right of way and the West line of Section 10, Township 19 South, Range 17 East; a portion of said abandoned A.C.L. Railroad right of way, all as shown in RIVER GLEN, a subdivision of record according to the plat thereof recorded under Plat Book 2, page 67, of the Public Records of Citrus County and Lots 11, 12, 13, 14 and 15, Block "C" of SUNCOAST INDUSTRIAL PARK f/k/a STERCHI INDUSTRIAL PARK, an unrecorded subdivision in Section 9, Township 19 South, Range 17 East, all land lying and being situated in Citrus County, Florida, being part of the lands also described in Official Records Book 276, page 56; Official Records Book 276, page 383; Official Records Book 647, page 150; Official Records Book 1004, page 1842 and Official Records Book 1316, page 334, all of the Citrus County Deed Records and being more particularly described by metes and bounds as follows:

Beginning at a found 4" x 4" concrete monument (label 1106) at the most Easterly Northeast corner of the herein described tract, said monument lying on the West right of way line of 200 foot wide U.S. Highway No. 19, said monument lying S 02°16'20" E, 20.00 feet (plat) from the Northeast corner of the aforesaid Lot 14, Block A, RIVER GLEN Subdivision;

Thence S 02°16'20" E, 219.99 feet (measured), S 02°16'20" E, 220.00 feet (plat) along the common West line of U.S. Highway No. 19 and the East line of a portion of Lots 14 and 15, Block A, RIVER GLEN Subdivision to a found 3" x 3" concrete monument (no I.D.) at the Southeast corner of the herein described tract;

Thence S 87°54'56" W, 1,249.12 feet (measured), S 87°52'30" W, 1,248.90 feet (deed), parallel to the North line of said Lot 14, Block A to a found 4" x 4" concrete monument (no I.D.) for an exterior corner of the herein described tract, said monument also lying on the common West line of aforementioned Section 10-19-17 and the East line of Section 9-19-17 and also lying on the common West line of Lot 15, Block A, RIVER GLEN Subdivision and the East line of Lot 10, Block C, STERCHI INDUSTRIAL PARK;

Thence N 02°18'17" W, 24.70 feet (measured), N 01°54'50" W, 24.70 feet (deed) along the aforesaid common Section line and common Lot lines to a found iron w/cap (label 1106) at the common Northeast corner of said Lot 10, Block C and the Southeast corner of Lot 11, Block C, STERCHI INDUSTRIAL PARK; thence S 87°56'06" W, 433.91 feet (measured), S 87°52'30" W, 436.47 feet (deed) to a found 4" x 4" concrete monument (label 1106) at the common Northwest corner of said Lot 10, Block C and the Southwest corner of Lot 11, Block C, STERCHI INDUSTRIAL PARK, said monument lying on the East line of a 50 foot wide ingress/egress road easement as recorded in Official Records Book 1004, page 1842, of the Citrus County Deed Records;

Thence N 01°50'33" W, 500.08 feet (measured), N 01°54'50" W, 500.00 (deed), along the common West lines of Lots 11 thru 15, Block C and the East line of said 50 foot ingress/egress easement to a found 4" x 4" concrete monument (label 1106) at the common Northwest corner of the herein described tract and Lot 15, Block C, STERCHI INDUSTRIAL PARK, also being the Southwest corner of Lot 16, Block C, STERCHI INDUSTRIAL PARK;

Thence N 87°56'31" E, 433.44 feet (measured), N 87°52'30" E, (deed), along the common North line of Lot 15, Block C and South line of Lot 16, Block C, STERCHI INDUSTRIAL PARK, to a found 4" x 4" concrete monument (no I.D.) at the common Northeast corner of Lot 15, Block C and the Southeast corner of Lot 16, Block C, STERCHI INDUSTRIAL PARK, said monument also lying on the West line of the RIVER GLEN Subdivision;

Thence N 01°49'37" W, 12.86 feet (measured), N 01°54'50" W (plat) along the common East line of Lot 16, Block C, STERCHI INDUSTRIAL PARK and the West line of RIVER GLEN Subdivision to a found 4" x 4" concrete monument (no I.D.) at an angle point for the herein described tract, said corner lying on the Westerly projection of the North line of Lot 12, Block A, RIVER GLEN Subdivision and being the Northwest corner of the unnumbered Lot West of said Lot 12, Block A;

Thence N 02°04'33" W, 149.21 feet (measured), N 01°54'50" W, 149.00 feet (field) along the West line of the unnumbered Lot West of Lot 11, Block A, RIVER GLEN Subdivision, to a found 4" x 4" concrete monument (no I.D.) at the most Northerly Northwest corner of the herein described tract, said monument lying on the Westerly projection of the North line of Lot 11, Block A, RIVER GLEN Subdivision and being the Northwest corner of the unnumbered Lot West of said Lot 11, Block A;

Thence N 87°57'31" E, 744.88 feet (measured), N 87°52'30" E, 744.61 feet (plat), along said Westerly projection of the North line of Lot 12, Block A, RIVER GLEN Subdivision to a found 4" x 4" concrete monument (no I.D.) lying on the West line of the East 500 feet of Lot 11, Block A, RIVER GLEN Subdivision;

Thence S 02°15'25" E, 148.82 feet (measured) along the West line of the East 500 feet of Lot 11, Block A, RIVER GLEN Subdivision to a found 4" x 4" concrete monument (no I.D.) at the common Southwest corner of said East 500 feet of Lot 11, Block A and the Northwest corner of the East 500 feet of Lot 12, Block A;

Thence S 02°19'15" E, 148.97 feet (measured), S 02°16'20" E, 149.00 feet (deed), along the West line of the East 500 feet of Lot 12, Block A, RIVER GLEN Subdivision to a found nail and disc (label 1108) on the common South line of Lot 12, Block A and the North line of Lot 13, Block A, RIVER GLEN Subdivision;

Thence N 87°54'29" E, 59.99 feet (measured), N 87°52'30" E, 60.00 feet (deed) to a found 5/8" iron rod w/cap (label 2340) lying on the West line of the East 440 feet of Lot 13, Block A, RIVER GLEN Subdivision;

Thence S 02°28'15" E, 168.89 feet (measured), S 02°16'20" E, 169.00 feet (deed) to a found 4" x 4" concrete monument (label 1106) lying on the South line of the North 20 feet of Lot 14, Block A, RIVER GLEN Subdivision;

Thence N 87°53'09" E, 439.68 feet (measured), N 87°52'30" E, 440.00 feet (deed) to the point of beginning. Reserving the West 50 feet of the South 200 feet of the Lot 15 and Lot 14, Block A, RIVER GLEN Subdivision, described herein for road right of way purposes and referenced in Official Records Book 276, page 383, of the Citrus County Deed Records.

Together with a non-exclusive easement with the right of ingress and egress over and across the following described land:

A 50 foot road being 25 feet each side of a centerline described as follows: Commence at the SE corner of Section 9, Township 19 South, Range 17 East, as shown on the plat of RIVER GLEN, as recorded in Plat Book 2, page 67, Public Records of Citrus County, Florida; thence N 01°54'50" W along the East line of Section 9, as shown on said plat and along the West line of said RIVER GLEN, a distance of 1,353.20 feet; thence S 87°52'30" W, 902.12 feet; thence S 01°54'50" E parallel to said East line a distance of 1,048.00 feet; thence S 87°52'30" W, a distance of 422.72 feet; thence S 01°54'50" E, a distance of 25.00 feet to the point of beginning; thence N 87°52'30" E, a distance of 1,178.91 feet to the P.C. of a curve concaved Southwesterly, having a central angle of 58°50'35" and a radius of 180.00 feet; thence Southeasterly along the arc of said curve, a distance of 184.86 feet to the P.T. (chord bearing and distance between said points being S 62°42'12" E, 176.84 feet); thence S 33°16'55" E, a distance of 181.19 feet to the P.C. of a curve concaved Northeasterly, having a central angle of 59°23'97" and a radius of 180.00 feet; thence Southeasterly along the arc of said curve, a distance of 186.59 feet to the P.T. (chord bearing and distance between points being S 62°58'44" E, 178.35 feet); thence N 87°19'28" E, a distance of 1,220.00 feet to the Westerly right of way line of U.S. Highway No. 19 and the end of the centerline description.

And

Commence at a concrete monument as originally monumented marking the SW corner of Lot 31, RIVER GLEN

Subdivision, as recorded in Plat Book 2, page 67, Public Records of Citrus County, Florida; thence S 01°54'50" E along a Southerly projection of the originally monumented West line of said RIVER GLEN, a distance of 75.72 feet to the South line of Section 9, Township 19 South, Range 17 East; thence N 87°46'18" E, along said South line, a distance of 44.15 feet to the true and proven Southeast corner of said Section 9; thence N 87°19'28" E along the South line of Section 10, Township 19 South, Range 17 East, a distance of 215.02 feet to a point on the Southerly right-of-way line of a 50 foot wide road, said point being the P.C. of a curve, concaved Northeasterly, having a central angle of 59°23'37" and a radius of 205.00 feet; thence Northwesterly along the arc of said curve and along said right-of-way line, a distance of 212.51 feet to the P.T. (chord bearing and distance between said points being N 62°58'44" W, 203.12 feet); thence N 33°16'55" W, a distance of 156.35 feet to the West line of said RIVER GLEN; thence N 01°54'50" W along said West line a distance of 1,194.05 feet; thence S 87°52'30" W, a distance of 436.47 feet to the point of beginning; thence N 01°54'50" W, a distance of 1,620.00 feet; thence S 87°52'30" W, a distance of 50.00 feet; thence S 01°54'50" E, a distance of 1,620.00 feet; thence N 87°52'30" E, a distance of 50.00 feet to the point of beginning.